

5 References

AgriMet. 1994. Available at <http://www.usbr.gov/pn/agrimet/yearrpt.html>.

Ahlenslager, K.E. 1987. *Pinus albicaulis*. In: W.C. Fischer, compiler. Fire Effects Information System. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Available at <http://www.fs.fed.us/database/feis/plants/tree/pinalb>.

Aldridge, D.W., B.S. Payne, and A.C. Miller. 1987. The effects of intermittent exposure to suspended solids and turbulence on three species of freshwater mussels. *Environmental Pollution* 45:17–28.

Allen, A.W., J.G. Cook, and M.J. Armbruster. 1984. Habitat suitability index models: pronghorn. FWS/OBS-82/10.65. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 22 pp.

Allendorf and Leary 1988. Conservation and distribution of genetic variation in a polytypic species, the cutthroat trout. *Conservation Biology*. 2:170-184.

Alt, D., and D. Hyndman. 1989. Roadside geology of Idaho. Mountain Press Publishing, Missoula, MT. 394 pp.

American Fisheries Society (AFS), Idaho Chapter. 2000. Website. <http://www.fisheries.org/idaho/>. Accessed November 2003.

Amman, G.D., and W.E. Cole. 1983. Mountain pine beetle dynamics in lodgepole pine forests. Part II. Population dynamics. General Technical Report INT-145. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. 59 pp.

Anderson, J. E. 1999. The Idaho National Engineering Laboratory: an ecological treasure on the upper Snake River Plain. *Rangelands* 21:11-17.

Anderson, M., P. Bourgeron, M.T. Bryer, R. Crawford, L. Engelking, D. Faber-Langendoen, M. Gallyoun, K. Goodin, D.H. Grossman, S. Landaal, K. Metzler, K.D. Patterson, M. Pyne, M. Reid, L. Sneddon, and A.S. Weakley. 1998. International classification of ecological communities: terrestrial vegetation of the United States. Volume II. The national vegetation classification system: list of types. The Nature Conservancy, Arlington, VA.

Annear, T.C. and Bradshwa, W.H. 1992. Gros Ventre River Instream Flow Investigation. Wyoming Game and Fish Department, Fish Division. Administrative report for project IF-1091-07-9001. October 1992. 15 pp.

Austin, J., J. Kussman and C. Riebe. 1976 Employee quarters study, Grand Teton National Park and J. D. Rockefeller, Jr. Memorial Parkway. Volume III, description of the resources. U. S. National Park Service, Denver Service Center, Denver, Colorado. 79pp.

Autenrieth, R., W. Molini, and C. Braun, editors. 1982. Sage grouse management practices. Technical Bulletin No. 1. Western States Sage Grouse Committee, Twin Falls, ID. 42 pp.

Bailey, J.E. 1952. Life history and ecology of the sculpin *Cottus bairdi punctulatus* in southwestern Montana. *Copeia* (4):243–255.

Bailey, R.M., J.E. Fitch, E.S. Herald, E.A. Lachner, C.C. Lindsey, C.R. Robins, and W.B. Scott. 1970. A list of common and scientific names of fishes from the United States and Canada. 3rd edition. American Fisheries Society Special Publication 6.

- American Fisheries Society, Ann Arbor, MI. 150 pp.
- Balliette, J.F., K.C. McDaniel, and M.K. Wood. 1986. Infiltration and sediment production following chemical control of sagebrush in New Mexico. *Journal of Range Management* 39(2):160–165.
- Barry, R. Brett. 1996. Irrigation Return Flow Water Quality in the Twin Falls and Northside Tracts. A Thesis presented in partial fulfillment of the requirements for the Degree of Master of Science with a Major in Civil Engineering in the College of Graduate Studies University of Idaho, Moscow, Idaho.
- Bartholomay, R. 1990. Mineralogy, petrology and grain size of surficial sediment from the Big Lost River, Little Lost River, and Birch Creek drainages, Idaho National Engineering Laboratory, Idaho. Master Thesis. Idaho State University. Pocatello, Idaho. 118 p.
- Bauer, G. 1987. Reproductive strategy of the freshwater pearl mussel *Margaritifera margaritifera*. *Journal of Animal Ecology* 56:691–704.
- Beetle, A.A., and K.L. Johnson. 1982. Sagebrush in Wyoming. Bulletin 779. University of Wyoming, Agricultural Experiment Station, Laramie, WY. 68 pp.
- Behan, B., and B.L. Welch. 1986. Winter nutritive content of black sagebrush (*Artemisia nova*) grown in a uniform garden. *Great Basin Naturalist* 46(1):161–165.
- Behnke, R.J. 1992. Native trout of western North America. American Fisheries Society Monograph 6. Bethesda, MA. 275 pp.
- Benjamin, L. 2000. Groundwater hydrology of the Henry's Fork springs. *Intermountain Journal of Sciences* 6:119-142
- Benjamin, L. and Van Kirk, R.W. 1999. Assessing instream flows and reservoir operations of an eastern Idaho river. American Water Resources Association Paper Number 97153.
- Bennett, C.M., 1990, Streamflow losses and ground-water level changes along the Big Lost River at the Idaho National Engineering Laboratory, Idaho: U.S. Geological Survey Water-Resources Investigations Report 904067 (DOE/ID-22091), 49 p.
- Bestgen, K.R., and S.P. Platania. 1990. Extirpation of *Notropis simus simus* (Cope) and *Notropis orca* Woolman (Pisces: Cyprinidae) from the Rio Grande in New Mexico, with notes on their life history. In: Occasional Papers. The Museum of Southwestern Biology No. 6. February 16. p. 1–8.
- Blaisdell, J.P., R.B. Murray, and E.D. McArthur. 1982. Managing Intermountain rangelands—sagebrush-grass ranges. General Technical Report INT-134. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. 41 pp.
- Blanchard, B.M. 1980. Grizzly bear–habitat relationships in the Yellowstone area. *International Conference on Bear Research and Management* 5:118–123.
- Blank, R.R., F. Allen, and J.A. Young. 1994. Growth and elemental content of several sagebrush-steppe species in unburned and post-wildfire soil and plant effects on soil attributes. *Plant and Soil* 164:35–41.
- Bock, W.J., R.P. Balda, and S.B. Vander Wall. 1973. Morphology of the sublingual pouch and tongue musculature in Clark's nutcracker. *Auk* 90:491–155.

- Bonneville Power Administration (BPA). 1997. Wildlife mitigation program final environmental impact statement. DOE/EIS-0246. U.S. Department of Energy, Portland, OR.
- Bowler, P.A. 1991. The rapid spread of the freshwater Hydrobiid snail *Potamopyrgus antipodarum* (Gray) in the middle Snake River, southern Idaho. Proceedings of the Desert Fishes Council 21:173–182.
- Bowler and Frest. 1992. (It is probably Bowler, P.A., and T.J. Frest. 1992. Snake River mollusks: living fossils. Idaho Wildlife 12(1):2, 29.)
- Bradshaw, W.H. and Annear, T.C. 1993. Greys River instream flow investigation, Lincoln County, Wyoming. Wyoming Game and Fish Department, Fish Division. Administrative Report for project IF-2093-07-9301. October 1993. 11pp.
- Brainerd, S.M. 1985. Reproductive ecology of bobcat and lynx in western Montana. Thesis. University of Montana, Missoula, MT. 85 pp.
- Bray, R.O., C.L. Wambolt, and R.G. Kelsey. 1991. Influence of sagebrush terpenoids on mule deer preference. Journal of Chemical Ecology 17(11):2053–2062.
- Brennan, T., A.Campbell, A. Lehmann and I. O'Dell, I., 2000. Water resources data, Idaho, water year 1999-volume 1. Great Basin and Snake River Basin above King Hill: U.S. Geological Survey Water-Data Report ID-99-1, 392 pp.
- Brohman, R., and L.Bryant, editors. 2003. Existing vegetation classification and mapping technical guide. Review draft. April. U.S. Department of Agriculture, Forest Service, Washington Office, Ecosystem Management Coordination Staff.
- Brown, C.J.D. 1971. Fishes of Montana. Big Sky Books, Bozeman, MT. 207 pp.
- Brown, J. H. 1995. Macroecology. The University of Chicago Press, Chicago IL. 269 pp.
- Buehler, D.A. 2000. Bald eagle (*Haliaeetus leucocephalus*). In: A. Poole and F. Gill, editors. The Birds of North America, No. 506. The Birds of North America, Inc., Philadelphia, PA. 40 pp.
- Buehler, D.A., J.D. Fraser, J.K.D. Seegar, [et al.]. 1991. Survival rates and population dynamics of bald eagles on Chesapeake Bay. Journal of Wildland Management 55(4):608–613.
- Buhidar, B.B. 1999. The Upper Snake Rock watershed management plan. Idaho Department of Environmental Quality, Twin Falls, Idaho. 13 pp.
- Bull, E.L., and J.R. Duncan. 1993. Great gray owl (*Strix nebulosa*). In: A. Poole and F. Gill, editors. The birds of North America, No. 41. Academy of Natural Sciences, Philadelphia, PA, and American Ornithologists' Union, Washington, DC.
- Bunting, S.C., B.M. Kilgore, and C.L. Bushey. 1987. Guidelines for prescribed burning sagebrush–grass rangelands in the northern Great Basin. General Technical Report INT-231. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. 33 pp.
- Burke, M. 1983. Bald eagle nesting habitat improved with silvicultural manipulation in northeastern California. In: D.M. Bird, editor. Biology and management of bald eagles and ospreys. Harpell Press, Ste Ann de Bellevue, PQ, Canada. p. 101–105.

- Burt, W.H., and R.P. Grossenheider. 1976. A field guide to the mammals. Houghton Mifflin, Boston, MA. 289 pp.
- Cannings, S.G., and J. Ptolemy. 1998. Rare freshwater fish of British Columbia. Ministry of Environment, Lands and Parks, Victoria, BC, Canada. 214 pp.
- Carey, A.B., C. Elliott, B.R. Lippke, J. Sessions, C.J. Chambers, C.D. Oliver, J.F. Franklin, and M.G. Raphael. 1996. Washington Forest Landscape Management Project—a pragmatic ecological approach to small-landscape management. Report No. 2. Washington State Department of Natural Resources, Washington Forest Landscape Management Project. 99 pp.
- Carl, C.G., W.A. Clemens, and C.C. Lindsey. 1967. The fresh-water fishes of British Columbia. British Columbia Provincial Museum Handbook. 192 pp.
- Carroll, C., R.F. Noss, and P.C. Paquet. 2001. Carnivores as focal species for conservation planning in the Rocky Mountain region. *Ecological Applications* 11(4):961–980.
- Carsey, K.S., and D.F. Tomback. 1994. Growth from distribution and genetic relationships in tree clusters of *Pinus flexilis*, a bird-dispersed pine. *Oecologia* 98:402–411.
- Caton, E.L. 1996. Effects of fire and salvage logging on the cavity-nesting bird community in northwestern Montana. Dissertation. University of Montana, Missoula, MT.
- Chrest, H.R. 1964. Nesting of the bald eagle on Karluk Lake drainage, Kodiak Island, Alaska. Thesis. Colorado State University, Fort Collins, CO.
- Christiansen, R. 1982. Late Cenozoic volcanism of the Island Park area, eastern Idaho. Pp. 345-368 in: B. Bonnicksen and R. M. Breckenridge, eds., *Cenozoic geology of Idaho*. Idaho Bureau of Mines and Geology Bulletin 26. Boise, ID.
- Christiansen, R.L., Embree, G.F., 1987, Island Park Idaho: transition from rhyolites of the Yellowstone Plateau to basalts of the Snake River Plain, in Beus, S.S., ed., *Rocky Mountain Section of the Geological Society of America, Centennial Field Guide v. 2*: Boulder, Geological Society of America, p. 103-108.
- Clark, A.H. 1981. The freshwater molluscs of Canada. National Museum of Natural History, National Museums of Canada. 446 pp.
- Clawson, K, G.Start, and N. Ricks (eds.) 1989. *Climatology of the Idaho National Engineering Laboratory*, 2nd Ed. DOE/ID-12118. 155 pp.
- Clifton, N.A. 1981. Response to prescribed fire in a Wyoming big sagebrush/bluebunch wheatgrass habitat type. Thesis. University of Idaho, Moscow, ID. 39 pp.
- Colorado Plateau Land Use History of North America (CPLUHNA). 2003. Land use history of North America, Colorado Plateau. Available at <http://www.cpluhna.nau.edu/index.htm>. Accessed in 2003.
- Connelly, J.W., M.A. Schroeder, A.R. Sands, and C.E. Braun. 2000. Guidelines to manage sage grouse populations and their habitats. *Wildlife Society Bulletin* 28(4):967–985.
- Convey, L.E., J.M. Hanson, and W.C. MacKay. 1989. Size-selective predation on unionid clams by muskrats. *Journal of Wildlife Management* 53:654–657.
- Cook, C.W., and L.A. Stoddart. 1953. The halogeton problem in Utah. *Bulletin* 364.

- Prepared in cooperation with U.S. Department of the Interior, Bureau of Land Management. Utah State Agricultural College, Agricultural Experiment Station, Logan, UT. 44 pp.
- Corsi, C., and S. Elle. 1986. Regional fisheries management investigations. Region 6 streams and rivers investigations. Job performance report. Project No. F-71-R-10, Job No. VI-c. Idaho Department of Fish and Game.
- Corsi, C., and S. Elle. 1989. Regional fisheries management investigations. Region 6 rivers and streams investigations—Big Lost and Little Lost Rivers, and Birch and Medicine Lodge Creek survey. Job performance report. Project No. F-71-R-12, Job No. 6 (IF)-c2. Idaho Department of Fish and Game.
- Corsi, C., B. Spateholts, V. Moore, and T. Williams. 1986. Regional fishery management investigations. Region 6 stream investigations. Job performance report. Project No. F-73-R-8, Job No. VI-c. Idaho Department of Fish and Game.
- Cosgrove, D.M., Johnson, G.S., Brockway, C.E., Robison, C.W. 1997. Geohydrology and development of a steady state groundwater model for the Twin Falls Idaho area; Idaho Water Resources Research Institute, University of Idaho, Moscow, ID. 110 p.
- Covington, W.W., and M.M. Moore. 1992. Postsettlement changes in natural fire regimes: implications for restoration of old-growth ponderosa pine forests. In: M.R. Kaufmann, W.H. Moir, and R.L. Bassett, technical coordinators. Old-growth forests in the southwest and Rocky Mountain regions: proceedings of a workshop; March 9–13, 1992; Portal, AZ. General Technical Report RM-213. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. p. 81–99.
- Cox, E. R. 1974. Water resource of Grand Teton National Park, Wyoming. U. S. Geological Survey, open file report. 114pp.
- Craighead, J.J., and J.A. Mitchell. 1987. Grizzly bear. In: J.A. Chapman and G.A. Feldhamer, editors. Wild mammals of North America. Johns Hopkins University Press, Baltimore, MD. p. 515–556.
- Cronquist, A., A.H. Holmgren, N.H. Holmgren, [et al.]. 1994. Intermountain flora: vascular plants of the Intermountain West, U.S.A. Volume 5. Asterales. New York Botanical Garden, New York, NY. 496 pp.
- Dahl, T.E. 1990. Wetlands losses in the United States: 1780s to 1980s. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 21 pp.
- Davidson, R.W., T.E. Hinds, and F.G. Hawksworth. 1959. Decay of aspen in Colorado. Station Paper No. 45. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 14 pp.
- Davis, J.N. 1990. General ecology, wildlife use, and management of the mountain mahoganies in the Intermountain West. In: K.L. Johnson, editor. Proceedings, 5th Utah shrub ecology workshop: the genus *Cercocarpus*; July 13–14, 1988; Logan, UT. Utah State University, College of Natural Resources, Logan, UT. p. 1–13.
- Deems, E.F., and D. Pursley, editors. 1978. North American furbearers, their management, research and harvest status in 1976. University of Maryland Press, College Park, MD. 171 pp.
- DeGraaf, R.M., V.E. Scott, R.H. Hamre, [et al.]. 1991. Forest and rangeland birds of

- the United States: natural history and habitat use. Agriculture Handbook No. 688. U.S. Department of Agriculture, Forest Service, Washington, DC. 625 pp.
- DeVos, A., and S.E. Matel 1952. The status of lynx in Canada, 1920–1952. *Journal of Forestry* 50:742–745.
- Diem, K.L., and S.I. Zeveloff. 1980. Ponderosa pine bird communities. In: R.M. DeGraaf, technical coordinator. Management of western forests and grasslands for nongame birds: workshop proceedings; February 11–14, 1980; Salt Lake City, UT. General Technical Report INT-86. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. p. 170–197.
- Dittberner, P.L., and M.R. Olson. 1983. The plant information network (PIN) data base: Colorado, Montana, North Dakota, Utah, and Wyoming. FWS/OBS-83/86. U.S. Department of the Interior, U.S. Fish and Wildlife Service, Washington, DC. 786 pp.
- Dobler, F.C., J. Eby, C. Perry, S. Richardson, and M. Vander Haegen. 1996. Status of Washington's shrub-steppe ecosystem: extent, ownership, and wildlife/vegetation relationships. Research report. Washington Department of Fish and Wildlife, Olympia, WA.
- Dodge, D. and Kavetsky, R. August 1995. Aquatic habitat and wetlands of the Hreat Lakes. . SOLEC Working Paper presented at State of the Lake Ecosystem Conference. EPA 905-R-95-014. Chicago, IL: U. S. Environmental Protection Agency.
- Donald, D.B., and D.J. Alger. 1993. Geographic distribution, species displacement, and niche overlap for lake trout and bull trout in mountain lakes. *Canadian Journal of Zoology* 71:238–247.
- Donohoe, R.W. 1974. American hornbeam *Carpinus caroliniana* Walt. In: J.D. Gill and W.M. Healy, editors. Shrubs and vines for northeastern wildlife. General Technical Report NE-9. U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station, Upper Darby, PA. p. 86–88.
- Doppelt, B., M.C. Schurlock, C.A. Frissell, and J.R. Karr. 1993. Entering the watershed: a new approach to save America's river ecosystems. Island Press, Washington, DC.
- Dorn, R.D. 1988. Vascular plants of Wyoming. Mountain West Publishing, Cheyenne, WY. 340 pp.
- Downhower, J.F., and L. Brown. 1980. Mate preferences of female mottled sculpins, cottus bairdi. *Animal Behavior* 28(3):728–734.
- Downhower, J.F., L. Brown, R. Pederson, and G. Staples. 1983. Sexual selection and sexual dimorphism in mottled sculpins. *Evolution* 37(1):96–103.
- Drewes, B. R. 1991. Antelope-Pine Creek area – Bonneville, Jefferson, Madison, and Teton Counties, Idaho 1988-1989. Water quality status report no. 99. Idaho Department of Health and Welfare, Division of Environmental Quality, Pocatello Field Office. Pocatello, ID. 162 p.
- DuBois, K., D. Becker, and J. Thornbrugh. 1987. Identification of Montana's birds of prey. *Montana Outdoors* 18(6):11–31.
- Dunford, E.G. 1954. Surface runoff and erosion from pine grasslands of the Colorado Front Range. *Journal of Forestry* 52:923–927.
- Elle, S., C. Corsi, and D. Aslett. 1987. Regional fisheries management investigations. Region 6 rivers and streams investigations. Job Performance Report.

- Project No. F-71-R-11, Job No. 6 (IF)-c2.
Idaho Department of Fish and Game.
- Ellis, M.M. 1936. Erosion silt as a factor in aquatic environments. *Ecology* 17:29–42.
- ESA. 2000. Ecological Society of America. Committee on land use. Ecological principles and guidelines for managing the use of land. Ecological Applications. Vol. 10, No. 3.
- Ferguson, C.W. 1964. Annual rings in big sagebrush, *Artemisia tridentata*. Papers of the Laboratory of Tree-Ring Research No. 1. University of Arizona Press, Tucson, AZ. 95 pp.
- Fischer, R.A., A.D. Apa, W.L. Wakkinen, and K.P. Reese. 1993. Nesting-area fidelity of sage grouse in southeastern Idaho. *Condor* 95:1038–1041.
- Fischer, R.A., K.P. Reese, and J.W. Connelly. 1996. An investigation on fire effects within xeric sage grouse brood habitat. *Journal of Range Management* 49:194–198.
- Flather, C.H., M.S. Knowles, and I.A. Kendall. 1998. Threatened and endangered species geography. *Bioscience* 48:365–376.
- Fox, J.F. 1978. Forest fires and the snowshoe hare–Canada lynx cycle. *Oecologia* 31:349–374.
- Fraley, J.J., and B.B. Shepard. 1989. Life history, ecology and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake river system. *Montana Northwest Science* 63:133–143.
- Franklin, A.B. 1988. Breeding biology of the great gray owl in southeastern Idaho and northwestern Wyoming. *Condor* 90:689–696.
- Franklin, J.F., and C.T. Dyrness. 1973. Natural vegetation of Oregon and Washington. General Technical Report PNW-8. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. 417 pp.
- Frest, T.J. 1992. Mollusc fauna in the vicinity of three proposed hydroelectric projects on the middle Snake River, central Idaho. Supplemental report on the California floater *Anodonta californiensis* Lea, 1852. Final report. Prepared for Don Chapman Consultants, Boise, ID. Deixis Consultants, Seattle, WA. 4 pp.
- Frest, T.J., and E.J. Johannes. 1995. Interior Columbia Basin mollusk species of special concern. Final report. Contract No. 43-0E00-4-9112. Deixis Consultants. January 15.
- Furnier, G.R., P. Knowles, M.A. Clyde, and B.P. Dancik. 1987. Effects of avian seed dispersal on the genetic structure of whitebark pine populations. *Evolution* 41:607–612.
- Gamett, B.L. 1990a. Big and Little Lost rivers mountain lake anglers survey - results. Unpublished report. Lost River Ranger District Challis National Forest, Mackay, Idaho.
- Gamett, B.L. 1990b. Little Lost River mountain lake catalog. Unpublished open report. Lost River Ranger District Challis National Forest, Mackay, Idaho.
- Gamett, B.L., J.C. Pyron, J.A. Bartel, J. Fredericks, D. Garren, and R.R. Whiteley. 2004. The status of mountain whitefish in the Big Lost River, Idaho drainage. Abstract submitted to Progressive fish culture: new paradigms for hatchery management? American Fisheries Society, Idaho annual meeting, Moscow, ID.
- Gangemi, J.T. 1992. Sculpin (*Cottus*) distribution in the Kootenai National Forest

and western portions of the Lolo National Forest, Montana. Montana Natural Heritage Program, Helena, MT. 54 pp.

GAP II, 2003, Idaho Land Cover Geographic Data, Landscape Dynamics Lab, Moscow, ID, USA, (Accessed October, 2003). <http://www.gap.uidaho.edu>

Gard, R. 1961. Effects of beaver on trout in Sagehen Creek, California. *Journal of Wildlife Management* 25:221–242.

Gamett, B. 1999. The History and Status of Fishes in the Little Lost River Drainage, Idaho. USDA Forest Service Lost River Ranger District, Salmon and Challis National Forests; Idaho Department of Fish and Game, Upper Snake Region; USDA Bureau of Land Management, Idaho Falls District; Sagewillow, Inc. 292 pp.

Garrett, M.G., J.W. Watson, and R.G. Anthony. 1993. Bald eagle home range and habitat use in the Columbia River estuary. *Journal of Wildlife Management* 57(1):19–27.

Gates, R.J., and R.L. Eng. 1984. Sage grouse, pronghorn, and lagomorph use of a sagebrush-grassland burn site on the Idaho National Engineering Laboratory. In: O.D. Markham, editor. Idaho National Engineering Laboratory, radio ecology and ecology programs: 1983 progress reports. U.S. Department of Energy, Radiological and Environmental Sciences Laboratory, Idaho Falls, ID. p. 220–235.

Gerald, J.W. 1966. Food habits of the longnose dace, *Rhinichthys cataractae*. *Copeia* 1966:478–485.

Gerrard, J.M., P.N. Gerrard, G.R. Bortolotti, and E.H. Dzus. 1992. A 24-year study of bald eagles on Besnard Lake, Saskatchewan. *Journal of Raptor Research* 26:159–166.

Gittleman, J.L., S.M. Funk, D.W. MacDonald, R.K. Wayne, M.L. Gosling, G. Cowlshaw, and R. Woodroffe. 2001. Carnivore conservation. Cambridge University Press. 675 pp.

Glinski, R.L., T.G. Grubb, and L.A. Forbis. 1983. Snag use by selected raptors. In: J.W. Davis, G.A. Goodwin, and R.A. Ockenfeis, technical coordinators. Snag habitat management: proceedings of the symposium; June 7–9, 1983; Flagstaff, AZ. General Technical Report RM-99. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. p. 130–133.

Goetz, F. 1989. Biology of the bull trout, *Salvelinus confluentus*, a literature review. U.S. Department of Agriculture, Forest Service, Willamette National Forest, Salem, OR.

Graham, D.C. 1978. Grizzly bear distribution, use of habitats, food habits and habitat characterization in Pelican and Hayden valleys, Yellowstone National Park. Thesis. Montana State University, Bozeman, MT. 124 pp.

Grange, W. 1965. Fire and tree growth relationships to snowshoe rabbits. In: Proceedings, 4th Tall Timbers fire ecology conference; March 18–19, 1965; Tallahassee, FL. Tall Timbers Research Station, Tallahassee, FL. p. 111–123.

Grayson, D.K. 1993. The desert's past: a natural history of the Great Basin. Smithsonian Institution Press, Washington, DC. 356 pp.

Green, N. 1985. The bald eagle. In: R.L. Di Silvestro, editor. Audubon wildlife report 1985. The National Wildlife Society, New York, NY. p. 509–531.

- Gresswell, R.E. 1995. Yellowstone cutthroat trout. In: M.K. Young, technical editor 1995. Conservation assessment for inland cutthroat trout. General Technical Report RM-256. U.S. Department of Agriculture, Forest Service. p. 36–54.
- Gresswell, R.E., and J.D. Varley. 1988. Effects of a century of human influence on the cutthroat trout of Yellowstone Lake. American Fisheries Society Symposium 4:45–52.
- Griffith, B., and J.M. Peek. 1989. Mule deer use of seral stage and habitat type in bitterbrush communities. Journal of Wildlife Management 53(3):636–642.
- Groves, C.R., D.B. Jensen, L.L. Valutis, K.H. Redford, M.L. Shaffer, J.M. Scott, J.V. Baumgartner, J.V. Higgins, M.W. Beck, and M.G. Anderson. 2002. Planning for biodiversity conservation: putting conservation science into practice. BioScience 52:499–512.
- Grubb, T.G., and C.E. Kennedy. 1982. Bald eagle winter habitat on southwestern National Forests. Research Paper RM-237. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 13 pp.
- Grubb, T. G., and R.M. King. 1991. Assessing human disturbance of breeding bald eagles with classification tree models. Journal of Wildlife Management 55(3):500–511.
- Gutknecht, K.W. 1989. Xeriscaping: an alternative to thirsty landscapes. Utah Science 50(4):142–146.
- Hackett, B., and B. Bonnicksen. 1994. Volcanic Crescent. Pp. 24-61 in: T. Shallat, ed., Snake: the plain and its people. Boise State University, Boise, ID.
- Haila, Y. 1999. Islands and fragments. In: M.L. Hunter Jr., editor. Maintaining biodiversity in forest ecosystems. Cambridge University Press, Cambridge, UK. p. 234–264.
- Hamilton, R.B. 1975. Comparative behavior of the American avocet and the black-necked stilt (Recurvirostridae). Ornithological Monograph 17.
- Hanson, J.M., W.C. MacKay, and E.E. Prepas. 1989. Effect of size-selective predation by muskrats (*Ondatra zibethicus*) on a population of unionid clams (*Anodonta grandis simpsonianus*). Journal of Animal Ecology 58:5–28.
- Harman, W.N. 1974. The effects of reservoir construction and channelization on the mollusks of the upper Delaware watershed. Bulletin of the American Malacological Union for 1974:12–14.
- Harmata, A.R., and B. Oakleaf. 1992. Bald eagles in the Greater Yellowstone Ecosystem: an ecological study with emphasis on the Snake River, Wyoming. Wyoming Game and Fish Department, Cheyenne, WY. 2 volumes. 368 pp.
- Hayward, G.D., and P.H. Hayward. 1993. Boreal owl (*Aegolius funereus*). In: A. Poole and F. Gill, editors. The birds of North America, No. 63. Academy of Natural Sciences, Philadelphia, PA, and American Ornithologists' Union, Washington, DC.
- Hayward, G.D., P.H. Hayward, and E.O. Garton. 1993. Ecology of boreal owls in the northern Rocky Mountains, USA. Wildlife Monograph No. 124.
- Hechtel, J.L. 1985. Activity and food habits of barren-ground grizzly bears in arctic Alaska. Thesis. University of Montana, Missoula, MT. 74 pp.

- Heinselman, M.L. 1973. Fire in the virgin forests of the Boundary Waters Canoe Area, Minnesota. *Quaternary Research* 3:329–382.
- Hensel, R.J., and W.A. Troyer. 1964. Nesting studies of the bald eagle in Alaska. *Condor* 66:282–286.
- Hickman, J.C., editor. 1993. *The Jepson manual: higher plants of California*. University of California Press, Berkeley, CA. 1400 pp.
- Hickman, O.E. 1975. Seasonal trends in the nutritive content of important range forage species near Silver Lake, Oregon. Research Paper PNW-187. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. 32 pp.
- Hironaka, M., M.A. Fosberg, and A.H. Winward. 1983. Sagebrush–grass habitat types of southern Idaho. *Bulletin Number 35*. University of Idaho, Forest, Wildlife and Range Experiment Station, Moscow, ID. 44 pp.
- Hobbs, N.T., D.L. Baker, J.E. Ellis, and D.M. Swift. 1981. Composition and quality of elk winter diets in Colorado. *Journal of Wildlife Management* 45(1):156–171.]
- Hoekstra, D., and J. Janssen. 1985. Non-visual feeding behavior of the mottled sculpin (*Cottus bairdi*), Lake Michigan. *Environmental Biology of Fishes* 12(2):111–118.
- Hoffman, G.L. 1967. *Parasites of North American freshwater fishes*. University of California Press, Berkeley, CA. 486 pp.
- Hoyt, J.S. 2000. Habitat associations of black-backed *Picoides arcticus* and three-toed *P. tridactylus* woodpeckers in the northeastern boreal forest of Alberta. Thesis. University of Alberta, Edmonton, AB, Canada.
- Hughes, G.W., and A.E. Peden. 1984. Life history and status of the shorthead sculpin (*Cottus confusus*: Pisces, Cottidae) in Canada and the sympatric relationship to the slimy sculpin (*Cottus cognatus*). *Canadian Journal of Zoology* 62:306–311.
- Hungerford, R.D. 1984. Native shrubs: suitability for revegetating road cuts in northwestern Montana. Research Paper INT-331. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. 13 pp.
- Hutto, R.L. 1995. Composition of bird communities following stand-replacement fires in northern Rocky Mountain (U.S.A.) conifer forests. *Conservation Biology* 9:1041–1058.
- Idaho Department of Fish and Game (IDFG). 1990. Upland game species management plan 1991-1995. Idaho Dept. Fish and Game. Boise, ID. 102pp.
- Idaho Department of Fish and Game (IDFG). 1991. Elk management plan 1991–1995. Prepared by J.W. Unsworth. IDFG, Boise, ID. 62 pp.
- Idaho Department of Fish and Game (IDFG). 2001. Five year fisheries management plan, 2001–2006.
- Idaho Department of Fish and Game (IDFG). 2004. Department Geographic Information System Library, Idaho Department of Fish and Game, Boise, ID, USA, (Accessed May, 2004).
- Idaho Fish and Wildlife Information System (IFWIS). 2003. 1:100,000-scale hydrographs. Idaho Department of Fish and Game, Boise, ID. Accessed December 1, 2003.

- Idaho Partners in Flight (IDPIF). 2000. Idaho bird conservation plan. Idaho Partners in Flight. 156 pp.
- Idaho Power Company (IPC). 2003. Hydro and thermal plants facts. IPC, Boise, ID. Available at <http://www.idahopower.com/aboutus/company/facts/plants.htm>
- Idaho State Department of Agriculture (ISDA). 2003. Idaho's strategic plan for managing noxious weeds. Idaho State Department of Agriculture. February 1999. 11pp.
- Interactive Biodiversity Information System (IBIS). 2003. Columbia River basin wildlife-habitat data by subbasins. Information available at <http://www.nwhi.org/ibis/subbasin/subs3.asp>.
- Interior Columbia Basin Ecosystem Management Project (ICBEMP). 1997. An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great basins. Volumes 1–4. In: T.M. Quigley and S.J. Arbelbide, editors. Scientific reports and associated spatially explicit datasets. U.S. Department of Agriculture, Forest Service, and U.S. Department of the Interior, Bureau of Land Management.
- Jacobson, P.J., J.L. Farris, D.S. Cherry, and R.J. Neves. 1993. Juvenile freshwater mussel (*Bivalvia: Unionidae*) responses to acute toxicity testing with copper. *Environmental Toxicology and Chemistry* 12:879–883.
- Johnsgard, P.A. 1990. Hawks, eagles, and falcons. Smithsonian Institution Press, Washington, DC. 403 pp.
- Johnson, E. 1989. Managing artificial environments with RTE species. *Park Science* 9(5):3.
- Jones, J.R., and N.V. DeByle. 1985. Fire. In: N.V. DeByle, V. Norbert, and R.P. Winokur, editors. *Aspen: ecology and management in the western United States*. General Technical Report RM-119. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. p. 77–81.
- Jonkel, C. 1978. Black, brown (grizzly) and polar bears. In: J.L. Schmidt and D.L. Gilbert, editors. *Big game of North America*. Stackpole Books, Harrisburg, PA. p. 227–248.
- Karl, M.G., S.G. Leonard, P.M. Rice, and J. Rider. 1996. Noxious weeds in the Interior Columbia Basin and portions of the Klamath and Great Basins: science assessment of selected species. Interior Columbian Basin Ecosystem Management Project. 120 pp.
- Keane, R.E. 1995b. A coarse scale assessment of whitebark pine in the interior Columbia River basin. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Missoula, MT. *Nutcracker Notes* 5:5–6.
- Keane, R.E., P. Morgan, and J.P. Menakis. 1994. Landscape assessment of the decline of whitebark pine (*Pinus albicaulis*) in the Bob Marshall Wilderness Complex, Montana, USA. *Northwest Science* 68(3):213–229.
- Kendall, K.C. 2003. Whitebark pine. U.S. Geological Survey Biological Resources Division, Glacier Field Station, Science Center, West Glacier, MT. Available at <http://biology.usgs.gov/s+t/SNT/noframe/wm147.htm>. Accessed in 2003.
- Kiefling, John W., 1978. Studies on the Ecology of the Snake River Cutthroat Trout. Fisheries Technical Bulletin No. 3, Wyoming Game and Fish Department.

- Knight, R.R. 1980. Biological considerations in the delineation of critical habitat. In: C.J. Martinka and K.L. McArthur, editors. Bears—their biology and management. Proceedings, 4th international conference on bear research and management; February 21–24, 1977; Kalispell, MT. Conference Series No. 3. Bear Biology Association. p. 1–3.
- Koehler, G.M. 1990. Population and habitat characteristics of lynx and snowshoe hares in north central Washington. *Canadian Journal of Zoology* 68:845–851.
- Kralovec, M.L., R.L. Knight, G.R. Craig, and R.G. McLean. 1992. Nesting productivity, food habits, and nest sites of bald eagles in Colorado and southeastern Wyoming. *Southwestern Naturalist* 37(4):356–361.
- Lee, D.S., C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer, Jr. 1980. Atlas of North American freshwater fishes. North Carolina Biological Survey Publication No. 1980-12. North Carolina State Museum of Natural History, Raleigh, NC. 867 pp.
- Levin, P. S., S. Achord, B. Feist, R. W. Zabel. 2002. Non-indigenous brook trout and the demise of threatened Snake River salmon: a forgotten threat? Proceedings of the Royal Society of London, Series B, Biological Sciences 269:1663-1670.
- Little Lost River Interagency Technical Advisory Team (LLRITAT). 1998. Little Lost River key watershed bull trout problem assessment. Prepared for the State of Idaho. June 29.
- Lippincott, A., editor. 1997. Atlas of Idaho's wildlife: integrating gap analysis and natural heritage information. Compiled and written by C.R. Groves, B. Butterfield, A. Lippincott, B. Csuti, and J.M. Scott. Idaho Department of Fish and Game, Boise, ID. 372 pp.
- Livingston, S.A., C.S. Todd, W.B. Krohn, and R.B. Owen, Jr. 1990. Habitat models for nesting bald eagles in Maine. *Journal of Wildlife Management* 54(4):644–653.
- C. H. Lowe; D. H. Hinds; E. A. Halpern. 1967. Experimental Catastrophic Selection and Tolerances to Low Oxygen Concentration in Native Arizona Freshwater Fishes, *Ecology*, Vol. 48, No. 6 (Nov., 1967) , pp. 1013-1017
- Lyon, L.J. 1977. Attrition of lodgepole pine snags on the Sleeping Child Burn, Montana. Research Note INT-219. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. 4 pp.
- Malde, H. 1968. The catastrophic late Pleistocene Bonneville flood in the Snake River plain, Idaho. Professional Paper 596. U.S. Geological Survey, Washington, DC.
- Marcot, B.G., and M. Vander Heyden. 2001. Key ecological functions of wildlife species. In: D.H. Johnson and T.A. O'Neil, editors. Wildlife habitats and species associations within Oregon and Washington landscapes—building a common understanding for management. Oregon State University Press, Corvallis, OR. p. 168–186.
- Marking, L.L., and T.D. Bills. 1980. Acute effects of silt and sand sedimentation on freshwater mussels. In: J.L. Rasmussen, editor. Proceedings of the Symposium on upper Mississippi River bivalve mollusks. Upper Mississippi River Conservation Committee, Rock Island, IL. p. 204–211.
- Martin, R. C. and G. A. Meuleman. 1989. Minidoka dam wildlife impact assessment. Project 88-110. Bonneville Power Administration, Division of Fish and Wildlife, Portland, Oregon.

- Martin, R. C. and H. J. Hansen. 1993. Palisades wildlife mitigation south fork Snake River programmatic management plan – implementation phase 1. Project 91-063. Bonneville Power Administration, Division of Fish and Wildlife, Portland, Oregon.
- Martin, J.R., R.L. DeVelice, and S. Brown. 2000. Forest Service, roadless area conservation, final environmental impact statement: landscape analysis and biodiversity specialist report. U.S. Department of Agriculture, Forest Service, Washington, DC.
- Mattson, D.J., and T. Merrill. 2002. Extirpations of grizzly bears in the contiguous United States, 1850–2000. *Conservation Biology* 16(4):1123–1136.
- Maughan, O.E., and G.E. Saul. 1979. Distributions of sculpins in the Clearwater River basin, Idaho. *Great Basin Naturalist* 39:59–62.
- May, B. E., W. Urie, and B. B. Shepard. 2003. Range-Wide Status of Yellowstone Cutthroat Trout (*Oncorhynchus clarki bouvieri*): 2001.
- McArthur, E.D., B.C. Giunta, and A.P. Plummer. 1977. Shrubs for restoration of depleted range and disturbed areas. *Utah Science* 35:28–33.
- McGee, J.M. 1979. Small mammal population changes following prescribed burning of mountain big sagebrush. In: K.L. Johnson, editor. Wyoming shrublands: proceedings of the 8th Wyoming shrub ecology workshop; May 30–31, 1979; Jackson, WY. University of Wyoming, Division of Range Management, Wyoming Shrub Ecology Workshop, Laramie, WY. p. 35–46.
- McGreevy, L.J. and Gordon, E.D. 1964. Groundwater east of Jackson Lake, Grand Teton National Park, Wyoming. USGS Circular C494. 27pp.
- McKelvey, R.W., and D.W. Smith. 1979. A black bear in a bald eagle nest. *Murrelet* 60:106.
- McLellan, B.N., and D.M. Shackleton. 1988. Grizzly bears and resource-extraction industries: effects of roads on behaviour, habitat use and demography. *Journal of Applied Ecology* 25:451–460.
- McMurray, N. 1986. *Artemisia nova*. In: Fire Effects Information System. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Available at <http://www.fs.fed.us/database/feis/>.
- McNab, W.H.; Avers, P.E. 1994. Ecological subregions of the United States: Section descriptions. Ecosystem Management Report WO-WSA-5. Washington, DC: U.S. Department of Agriculture, Forest Service. 284 p.
- McPhail, J.D., and J.S. Baxter. 1996. A review of bull trout (*Salvelinus confluentus*) life-history and habitat use in relation to compensation and improvement opportunities. Fisheries Management Report No. 104. University of British Columbia, Department of Zoology, Vancouver, BC, Canada.
- McPhail, J.D., and C.C. Lindsey. 1970. Freshwater fishes of northwestern Canada and Alaska. Bulletin 173. Fisheries Research Board of Canada. 381 pp.
- Mech, D.L. 1980. Age, sex, reproduction and spatial organization of lynxes colonizing northeastern Minnesota. *Journal of Mammalogy* 61(2):261–267.
- Mende J. 1989. River and stream investigations: Portneuf River

- assessment.. Idaho Dept of Fish and Game and Idaho State University. Pocatello, Idaho. F-711-R-12 Sub.3, J4. 72p.
- Merigliano, M.F. 1996. Ecology and management of the South Fork Snake River cottonwood forest. BLM Technical Bulletin BLM-ID-PT96/016+1150. U.S. Department of the Interior, Bureau of Land Management. 100 pp.
- Meyer, S.E., and S.B. Monsen. 1993. Genetic considerations in propagating native shrubs, forbs, and grasses from seed. In: T.D. Landis, editor. Proceedings, Western Forest Nursery Association; September 14–18, 1992; Fallen Leaf Lake, CA. General Technical Report RM-221. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. p. 47–54.
- Meyer, K., and J. Lamansky. 2003. Assessment of native salmonids above Hells Canyon Dam, Idaho. Annual Progress Report, July 1, 2002–June 30, 2003, to U.S. Department of Energy, Bonneville Power Administration, Portland, OR. BPA Project No. 1998-00200. Idaho Department of Fish and Game. 61 pp.
- Meyer, Kevin A., and Daniel J. Schill, F. Steven Elle, and James A. Lamansky, Jr. 2003a. Reproductive Demographics and Factors that Influence Length at Sexual Maturity of Yellowstone Cutthroat Trout in Idaho. Idaho Department of Fish and Game. Transactions of the American Fisheries Society 132:183-195, 2003.
- Meyer, Kevin A., and Daniel J. Schill, F. Steven Elle, and James A. Lamansky, Jr. 2003b. A Long-Term Comparison of Yellowstone Cutthroat Trout Abundance and Size Structure in Their Historical Range in Idaho. Idaho Department of Fish and Game. North American Journal of Fisheries Management 23:149-162, 2003.
- Miller, R.F., and R.J. Tausch. 2001. The role of fire in pinyon and juniper woodlands: a descriptive analysis. In: K.E.M. Galley and T.P. Wilson, editors. Proceedings of the invasive species workshop: the role of fire in the control and spread of invasive species. Fire conference 2000: the first national congress on fire ecology, prevention, and management. Miscellaneous Publication No. 11. Tall Timbers Research Station, Tallahassee, FL. p. 15–30.
- Mueggler, W.F., and W.L Stewart. 1981. Forage production on important rangeland habitat types in western Montana. Journal of Range Management 34(5):347–353.
- Meuleman, G. A., R. C. Martin and H. J. Hansen. 1991. Wildlife protection, mitigation and enhancement plan, Minidoka Dam. Project 90-050. Bonneville Power Administration, Division of Fish and Wildlife, Portland, Oregon.
- Murphy, E.C., and W.A. Lehnhausen. 1998. Density and foraging ecology of woodpeckers following a stand-replacement fire. Journal of Wildlife Management 62:1359–1372.
- Murray, Robert B. 1983. Response of antelope bitterbrush to burning and spraying in southeastern Idaho. In: A.R. Tiedemann and K.L. Johnson, compilers. Proceedings—research and management of bitterbrush and cliffrose in western North America; April 13–15, 1982; Salt Lake City, UT. General Technical Report INT-152. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. p. 142–152.
- Nagy, J.G. 1979. Wildlife nutrition and the sagebrush ecosystem. In: The sagebrush ecosystem: a symposium: proceedings; April

1978; Logan, UT. Utah State University, College of Natural Resources, Logan, UT. p. 164–168.

Nash, C., M. Pruett-Jones, and G.T. Allen. 1980. The San Juan Islands bald eagle nesting survey. In: R.L. Knight, G.T. Allen, M.V. Stalmaster, and C.W. Serveen, editors. Proceedings of the Washington bald eagle symposium. The Nature Conservancy, Seattle, WA. p. 105–115.

National Academy of Sciences. 1992. Restoration of aquatic ecosystems: science, technology, and public policy. National Research Council, Committee on Restoration of Aquatic Ecosystems: Science, Technology, and Public Policy. National Academy Press. 576 pp.

National Invasive Species Council (NISC). 2003. Invasive species pathways team final report. Invasive Species Advisory Committee, Pathways Task Team. 31 pp.

National Marine Fisheries Service (NMFS). 2000. Biological opinion: reinitiation of consultation on operation of the Federal Columbia River Power System, including the Juvenile Fish Transportation Program, and 19 Bureau of Reclamation projects in the Columbia Basin. Issued December 21. Endangered Species Act, Section 7 Consultation. NMFS, Northwest Region.

Natural Resources Conservation Service (NRCS). 2001. Conversion of natural resource lands to urban lands, farmsteads, and rural transportation lands, 1997 national resources inventory—Idaho results. U.S. Department of Agriculture, NRCS. Available at <http://www.id.nrcs.usda.gov/technical/nri/conversion.html>.

Nellis, C.H., S.P. Wetmore, and L.B. Keith 1972. Lynx–prey interactions in central

Alberta. *Journal of Wildlife Management* 36(2):320–328.

Northcote, T.G. 1954. Observations on the comparative ecology of two species of fish, *Cottus asper* and *Cottus rhotheus*, in British Columbia. *Copeia* 1954:25–28.

Northwest Power and Conservation Council (NPCC). 2003. Second draft Intermountain Province subbasin plan. NPCC, Portland, OR.

Northwest Power and Conservation Council (NPCC). 2004. BPA-funded projects for Salmon subbasin. Available at <http://www.nwcouncil.org/fw/subbasinplanning/displayprojects.asp?id=43>. Data accessed on February 9, 2004.

Northwest Power Planning Council (NPPC). 2000. 2000 Fish and Wildlife Program. Council Document 2000-19. NPPC, Portland, OR.

Northwest Power Planning Council (NPPC). 2001. Technical guide for subbasin planners. Council Document 2001-20. NPPC, Portland, OR. 24 pp.

Northwest Power Planning Council (NPPC). 2003. Mainstem amendments to the Fish and Wildlife Program. NPPC, Portland, OR.

Northwest Power Planning Council (NPPC). 2002a. Draft Snake-Headwaters subbasin summary. NPPC, Portland, OR.

Northwest Power Planning Council (NPPC). 2000b. Draft Upper Snake subbasin summary. NPPC, Portland, OR.

Northwest Power Planning Council (NPPC). 2000c. Draft Henry's Fork subbasin summary. NPPC, Portland, OR.

Northwest Power Planning Council (NPPC). 2000d. Draft Closed Basin subbasin summary. NPPC, Portland, OR.

- Noss, R.F. 1983. A regional landscape approach to maintain diversity. *Bioscience* 33:700–706.
- Noss, R.F. 1991. Protecting habitats and biological diversity: guidelines for regional reserve systems. National Audubon Society, Washington, DC.
- Noss, R.F., and M. Soule. 1998. Rewilding and biodiversity: complementary goals for continental conservation. *Wild Earth* 13(8):1–11.
- Noste, N.V., and C.L. Bushey. 1987. Fire response of shrubs of dry forest habitat types in Montana and Idaho. General Technical Report INT-239. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. 22 pp.
- Page, L.M., and B.M. Burr. 1991. A field guide to freshwater fishes. Houghton Mifflin Co., Boston, MA. 432 pp.
- Paige, C., and S.A. Ritter. 1999. Birds in a sagebrush sea: managing sagebrush habitats for bird communities. Partners in Flight Western Working Group, Boise, ID.
- Palmer, D.A. 1986. Habitat selection, movements and activity of boreal and saw-whet owls. Thesis. Colorado State University, Fort Collins, CO.
- Parker, K.G. 1975. Some important Utah range plants. Extension Service Bulletin EC-383. Utah State University, Logan, UT. 174 pp.
- Peden, A.E., and G.W. Hughes. 1984. Status of the shorthead sculpin, *Cottus confusus*, in the Flathead River, British Columbia. *Canadian Field-Naturalist* 98:127–133.
- Peek, J.M., R.A. Riggs, and J.L. Lauer. 1979. Evaluation of fall burning on bighorn sheep winter range. *Journal of Range Management* 32(6):430–432.
- Perala, D.A. 1990. *Populus tremuloides* Michx. quaking aspen. In: R.M. Burns and B.H. Honkala, technical coordinators. *Silvics of North America. Volume 2. Hardwoods. Agriculture Handbook 654.* U.S. Department of Agriculture, Forest Service, Washington, DC. p. 555–569.
- Peterson, A. 1986. Habitat suitability index models: bald eagle (breeding season). Biological Report 82 (10.126). U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 25 pp.
- Pfister, R.D., B.L. Kovalchik, S.F. Arno, and R.C. Presby. 1977. Forest habitat types of Montana. General Technical Report INT-34. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. 174 pp.
- Pielke, R.A., T.J. Lee, T.G.F. Kittel, T.N. Chase, J.M. Cram, and J.S. Baron. 1994. Effects of mesoscale vegetation distributions in mountainous terrain on local climate. In: M. Beniston, editor. *Mountain environments in changing climates.* Routledge Publishing, New York, NY. p. 121–135.
- Pierce, K.L. and W.E. Scott. 1982. Pleistocene episodes of alluvial-gravel deposition, southeastern Idaho. In B. Bonnicksen and R.M. Breckenridge, editors. *Cenozoic Geology of Idaho.* Idaho Bureau of Mines and Geology Bulletin 26:685-702.
- Pratt, K.L. 1992. A review of bull trout life history. In: P.J. Howell and D.V. Buchanan, editors. *Proceedings of the Gearheart Mountain bull trout workshop.* Oregon Chapter of the American Fisheries Society, Corvallis, OR.

- Quigley, T.M., and S.J. Arbelbide, editors. 1997. An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great basins. Volume 2. General Technical Report PNW-GTR-405. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR.
- Quinby, P.A. 1991. Self-replacement in old-growth white pine forests of Temagami, Ontario. *Forest Ecology and Management* 41:95–109.
- Reed, D.F. 1981. Conflicts with civilization. In: O.C. Wallmo, editor. *Mule and black-tailed deer of North America*. University of Nebraska Press, Lincoln, NE. p. 509–536.
- Reichert, C. 1989. Silviculture in grizzly bear habitat. In: *Silviculture for all resources: proceedings of the national silviculture workshop; May 11–14, 1987; Sacramento, CA*. U.S. Department of Agriculture, Forest Service, Washington, DC. p. 48–60.
- Reynolds, T.D., J.W. Connelly, D.K. Halford, and W.J. Arthur. 1986. Vertebrate fauna of the Idaho National Environmental Research Park. *Great Basin Natur.* 46:513-527.
- Rieman, B.E., and J.D. McIntyre. 1993. Demographic and habitat requirements for conservation of bull trout. General Technical Report INT-302. U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Rieman, B.E., and J.D. McIntyre. 1995. Occurrence of bull trout in naturally fragmented habitat patches of varied size. *Transactions of the American Fisheries Society* 124:285–296.
- Roberts, W. 1988. The sculpins of Alberta. *Alberta Naturalist* 18:121–127, 153.
- Robinson, B., P. Aengst, and J. Gailus. 2004. Yellowstone to Yukon conservation initiative. *Conservation Biology* 101. Available at <http://www.y2y.net/science/conservation/conbio/default.asp>.
- Roni, P., T.J. Beechiie, R.E. Biby, F.E. Leonetti, M.M. Pollock, and G.R. Pess. 2002. A review of stream restoration techniques and a hierarchical strategy for prioritizing restoration in Pacific Northwest watersheds. *North American Journal of Fisheries Management.* 22:1-20.
- Ross, S. H., and C. N. Savage. 1967. Idaho earth science: geology, fossils, climate, water, and soils. *Earth Science Series No. 1*. Idaho Bureau of Mines and Geology, Moscow, ID.
- Royer TV, Robinson CT, Minshall GW. 1995. Ecological structure and function of the middle reach of the Snake River. Volume I: water quality and benthic biomonitoring. Pocatello (ID): Stream Ecology Center, Department of Biological Sciences, Idaho State University.
- Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, F. Wahl, N. Warren, D. Wenger, and A. Williamson. 2000. Canada lynx conservation assessment and strategy. U.S. Department of Agriculture, Forest Service; U.S. Department of the Interior (USDI) Fish and Wildlife Service; USDI Bureau of Land Management; and USDI National Park Service. Missoula, MT. 135 pp.
- Ruediger, B., J.J. Claar, and J.F. Gore. 1999. Restoration of carnivore habitat connectivity in the northern Rocky Mountains. Meeting notes: Interagency Grizzly Bear Committee (IGBC); December 8–10, 1999; Jackson, WY.
- Ruediger, W., and S. Mealey. 1978. Coordination guidelines for timber harvesting

- in grizzly bear habitat in northwestern Montana. [Publisher unknown, place of publication unknown]. On file at U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Fire Sciences Laboratory, Missoula, MT. 44 pp.
- Rust, S.K., M. Mancuso, C.J. Murphy, and P.R. Jones. 2000. Vegetation map of the Rocking M Ranch Wildlife Conservation Easement, Washington County, Idaho. Unpublished report. Prepared for U.S. Department of the Interior, Bureau of Land Management, Lower Snake River District. Idaho Department of Fish and Game, Idaho Conservation Data Center, Boise, ID. 30 pp. plus appendices.
- Saab, V.A., and C. Groves. 1992. Idaho's migratory landbirds: description, habitats, and conservation. Nongame Leaflet No. 10. Idaho Department of Fish and Game, Boise, ID. 16 pp.
- Saab, V., and T. Rich 1997. Large-scale conservation assessment for Neotropical migratory land birds in the Interior Columbia River Basin. General Technical Report PNW-GTR-399. U.S. Department of Agriculture, Forest Service, Pacific Research Station, Portland, OR.
- Sather-Blair, S. and S. Preston. 1985. Wildlife impact assessment, Palisades project, Idaho. Project 84-37. Bonneville Power Administration, Division of Fish and Wildlife, Portland, Oregon.
- Saunders, J.K. 1963. Food habits of the lynx in Newfoundland. *Journal of Wildlife Management* 27(3):384–390.
- Schuster, W.S.F., and J.B. Mitton. 1991. Relatedness within clusters of bird-dispersed pine and the potential for kin interactions. *Heredity* 67: 41–48.
- Schwalbe, C.R., and P.C. Rosen. 1988. Preliminary report on effects of bullfrogs on wetland herpetofauna in southeastern Arizona. In: R.C. Szaro, K.E. Severson, and D.R. Patton, editors. Management of amphibians, reptiles, and small mammals in North America. General Technical Report RM-166. U.S. Department of Agriculture, Forest Service, Fort Collins, CO. p. 166–173.
- Scott, J.M., C.R. Peterson, J.W. Karl, E. Strand, L.K. Svancara, and N.M. Wright. 2002. A gap analysis of Idaho. Final report. Idaho Cooperative Fish and Wildlife Research Unit, Moscow, ID.
- Scott, W.B., and E.J. Crossman. 1973. Freshwater fishes of Canada. Bulletin 184. Fisheries Research Board of Canada. 966 pp.
- Servheen, C. 1981. Grizzly bear ecology and management in the Mission Mountains, Montana. Dissertation. University of Montana, Missoula, MT. 138 pp.
- Servheen, C. 1983. Grizzly bear food habits, movements, and habitat selection in the Mission Mountains, Montana. *Journal of Wildlife Management* 47(4):1026–1035.
- Servheen, C., and P. Sandstrom. 1993. Ecosystem management and linkage zones for grizzly bears and other large carnivores in the northern Rocky Mountains in Montana and Idaho. *Endangered Species Technical Bulletin* 18(3).
- Shaw, N.L., and S.B. Monsen. 1990. Use of sagebrush for improvement of wildlife habitat. In: H.G. Fisser, editor. Wyoming shrublands: aspen, sagebrush and wildlife management: proceedings, 17th Wyoming shrub ecology workshop; June 21–22, 1988; Jackson, WY. Wyoming Shrub Ecology Workshop, University of Wyoming, Department of Range Management, Laramie, WY. p. 19–35.

- Shepard, B.B., K.L. Pratt, and P.J. Graham. 1984. Life histories of westslope cutthroat and bull trout in the upper Flathead River basin, Montana. Prepared for the U.S. Environmental Protection Agency. Contract No. R008224-01-5. Montana Department of Fish, Wildlife and Parks, Helena, MT.
- Sigler, W. F., and J. W. Sigler. 1987. Fishes of the Great Basin: A Natural History. University of Nevada Press, Reno, NV. 425 pp.
- Simpson, J.C., and R.L. Wallace. 1982. Fishes of Idaho. 2nd edition. University of Idaho Press, Moscow, ID.
- Smith, J. 1995. U.S. Forest Service Region 4 disease survey of whitebark pine. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Missoula, MT. Nutcracker Notes 6:8.
- Smith, K.G. 1980. Nongame birds of the Rocky Mountain spruce–fir forests and their management. In: R.M. DeGraaf, technical coordinator. Management of western forests and grasslands for nongame birds: workshop proceedings; February 11–14, 1980; Salt Lake City, UT. General Technical Report INT-86. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. p. 258–279.
- Smith, R.E., Jr. 1979. *Gila bicolor* (Girard): Tui chub. In: D.S. Lee, C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer, Jr., editors. Atlas of North American Freshwater Fishes. North Carolina Biological Survey Publication No. 1980-12. North Carolina State Museum of Natural History, Raleigh, NC. p. 161.
- Snyder, S.A. 1991a. *Lynx lynx*. In: Fire Effects Information System. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Available at <http://www.fs.fed.us/database/feis/>.
- Snyder, S.A. 1991b. *Ursus arctos*. In: Fire Effects Information System. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Available at <http://www.fs.fed.us/database/feis/>.
- Snyder, S.A. 1993. *Haliaeetus leucocephalus*. In: Fire Effects Information System. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Available at <http://www.fs.fed.us/database/feis/>.
- Spowart, R.A., and F.B. Samson. 1986. Carnivores. In: A.Y. Cooperrider, R.J. Boyd, and H.R. Stuart, editors. Inventory and monitoring of wildlife habitat. U.S. Department of the Interior, Bureau of Land Management, Service Center, Denver, CO. p. 475–496.
- Sprunt, A., and F.J. Ligas. 1964. Excerpts from convention addresses on the 1963 bald eagle report. Audubon 66:45–47.
- Stanford, J.A. 1996. Landscapes and catchment basins. In: F.R. Hauer and G.A. Lamberti, editors. Methods in stream ecology. Academic Press, San Diego, CA.
- Stanley, J., J. Jackson, E. Anderson, and C. Wilkie. 2002. Columbian sharp-tailed grouse lek survey: Bonneville and Bingham counties, Idaho. Idaho Department of Fish and Game, Boise, ID. 15 pp.
- Stanton, F. 1974. Wildlife guidelines for range fire rehabilitation. Technical Note 6712. U.S. Department of the Interior, Bureau of Land Management, Denver, CO. 90 pp.
- Stohlgren, T.J., T.N. Chase, R.A. Pielke, Sr., T.G.F. Kittel, and J. Baron. 1998. Evidence that local land use practices influence regional

climate, vegetation, and stream flow patterns in adjacent natural areas. *Global Change Biology* 4:495–504.

Sublette, J.E., M.D. Hatch, and M. Sublette. 1990. *The fishes of New Mexico*. University of New Mexico Press, Albuquerque, NM.

Suckley, G. 1858. Assumed in: U.S. War Department. *Pacific Railroad Surveys, 1855-1860. Reports of Explorations and Surveys, to Ascertain the Most Practicable and Economical Route for a Railroad from the Mississippi River to the Pacific Ocean*, 12 vols. Washington, n.p.

Swanberg, T.R. 1997. Movements of and habitat use by fluvial bull trout in the Blackfoot River, Montana. *Transactions of the American Fisheries Society* 126(5):735–746.

Taylor, D.W. 1981. Freshwater mollusks of California: a distributional checklist. *California Fish and Game* 67(3):140–163.

Taylor, D.W. 1982. Status report on Utah valvata snail. U.S. Fish and Wildlife Service, Portland, OR. 10 pp.

Tew, R.K. 1970. Seasonal variation in the nutrient content of aspen foliage. *Journal of Wildlife Management* 34(2):475–478.

The Nature Conservancy (TNC). 2003. *The Nature Conservancy's invasive species initiative*. Informational Pamphlet 02113 01/2003. 4 pp.

Thomas, A.E. 1973. Spawning migration and intragravel movement of the torrent sculpin, *Cottus rhotheus*. *Transactions of the American Fisheries Society* 102:620–622.

Thurow, R.F., C.E. Corsi, and V.K. Moore. 1988. Status, ecology, and management of Yellowstone cutthroat trout in the upper

Snake River drainage, Idaho. *American Fisheries Society Symposium* 4:25–36.

Tomback, D.F. 1978. Foraging strategies of Clark's nutcracker. *Living Bird* 16:123–161.

Tomback, D.F. 1981. Notes on cones and vertebrate-mediated seed. *Madrono* 28(2):91–94.

Tomback, D.F. 1982. Dispersal of whitebark pine seeds by Clark's nutcracker: a mutualism hypothesis. *Journal of Animal Ecology* 51:451–467.

Tomback, D.F., and W.S.F. Schuster. 1994. Genetic population structure and growth form distribution in bird-dispersed pines. In: W.C. Shmidt and F.K. Holtmeier, compilers. *International workshop on subalpine stone pines and their environment: state of our knowledge*. INT-6TR-309. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. p. 43–50.

Tweit, S.J., and K.E. Houston, 1980. Grassland and shrubland habitat types of the Shoshone National Forest. U.S. Department of Agriculture, Forest Service, Shoshone National Forest, Cody, WY. 143 pp.

U.S. Army Corps of Engineers (USACE). 1990. *Special report: lower Snake River fish and wildlife compensation. Wildlife habitat compensation evaluation for the Lower Snake River Project*. USACE, Walla Walla District, Walla Walla, WA. 59 pp. plus appendices.

U.S. Census Bureau. 2003. *State and county quickfacts*. Available at <http://quickfacts.census.gov>.

U.S. Department of Agriculture (USDA). 2003. *Data produced in development of the Southwest Idaho Ecogroup land and resource management plans: summary of the final environmental impact statement for the Boise National Forest, Payette National Forest and*

Sawtooth National Forest plan revision. 130 pp.

United States Fish and Wildlife Service [USFWS]. 1984. American peregrine falcon recovery plan (Rocky Mountain/southwest population). USFWS, Denver, CO. 105 pp.

U.S. Fish and Wildlife Service (USFWS). 1994. Endangered and threatened wildlife and plants; animal candidate review for listing as endangered or threatened species; proposed rule. 50 CFR Part 17. Tuesday, November 15. Federal Register 59(219):58982–59028.

U.S. Fish and Wildlife Service, 1995, Snake River aquatic species recovery plan, U.S.F.W.S. Boise, Idaho.

U.S. Fish and Wildlife Service (USFWS). 2001. Lower Snake River compensation plan. Annual report for fiscal year 2001. USFWS. 37 pp.

U.S. Fish and Wildlife Service (USFWS). 2002. Bull trout (*Salvelinus confluentus*) draft recovery plan. USFWS, Portland, OR.

U.S. Forest Service (USFS). 1996. U.S. Department of Agriculture, Forest Service, Status of the Interior Columbia Basin: summary of scientific findings. General Technical Report PNW-GTR-385. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, and U.S. Department of the Interior, Bureau of Land Management, Portland, OR. 144 pp.

U.S. Forest Service (USFS). 1999. Results of aquatic monitoring for National Forest lands in the Little Lost River, Idaho drainage. Salmon-Challis National Forest, Lost River Ranger District. December 22.

U.S. Forest Service (USFS). 2003. Inland West Watershed Initiative data on geomorphic integrity, water quality integrity and watershed vulnerability. U.S. Department

of Agriculture, Forest Service, Region 4 and Region 1, Rocky Mountain Research Station, Boise, ID.

U S Geological Survey (USGS). 1992. Data derived from 500,000 calculations.

U.S. Geological Survey (USGS). 1996. National water summary on wetland resources. Compiled by J.D. Fretwell, J.S. Williams, and P.J. Redman. Water-Supply Paper 2425. USGS.]

U.S. Geological Survey (USGS). 2004. Surface water data. Available at <http://idaho.usgs.gov>.

U.S. National Agricultural Library (USNAL). 2004. National Invasive Species Council, invasive species databases: terrestrial plant databases. Available at <http://www.invasivespecies.gov/databases/tpdb.shtml>.

United Nations Environment Program, World Conservation Monitoring Center (UNEPWCMC). 2004. Biodiversity and climate change. Biodiversity and Climate Change Program. Available at <http://www.unep-wcmc.org/climate/home.htm>.

Van Deelen, T.R. 1991. Dispersal patterns of juvenile beavers in western Montana. Thesis. University of Montana, Missoula, MT. 85 pp.

Van Kirk and Benjamin. 2000. [This citation appears in Upper Snake section 1.]

Van Kirk and Gamblin 2000. [This citation appears in Upper Snake section 2.]

Van Kirk and Griffin. 1997. [This citation appears in Upper Snake section 1.]

Vander Wall, S.B. 1994. Seed fate pathways of antelope bitterbrush: dispersal by seed-

- caching yellow pine chipmunks. *Ecology* 75(7):1911–1926.
- Varley, J.D., and R.E. Gresswell. 1988. Ecology, status, and management of the Yellowstone cutthroat trout. *American Fisheries Society Symposium* 4:13–24.
- Verner, J., and A.S. Boss, technical coordinators. 1980. California wildlife and their habitats: western Sierra Nevada. General Technical Report PSW-37. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, CA. 439 pp.
- Wambolt, C.L. 1995. Elk and mule deer use of sagebrush for winter forage. *Montana Ag Research* 12(2):35–40.
- Wambolt, C.L., W.H. Creamer, and R.J. Rossi. 1994. Predicting big sagebrush winter forage by subspecies and browse form class. *Journal of Range Management* 47(3):231–234.
- Ward, J.V. 1989. The four dimensional nature of lotic ecosystems. *Journal of the North American Benthological Society* 8:2–8.
- Washington Department of Fish and Wildlife (WDFW). 2003. Priority habitats and species. Information available at <http://www.wdfw.wa.gov/hab/ripsum.htm>
- Weisel, G.F. 1954. A rediscovered cyprinid hybrid from western Montana, *Mylocheilius caurinus* × *Richardsonius balteatus*. *Copeia* 1954(4):278–282.
- Welch, B.L., and E.D. McArthur. 1986. Wintering mule deer preference for 21 accessions of big sagebrush. *Great Basin Naturalist* 46(2):281–286.
- Welch, B.L., and F.J. Wagstaff. 1992. “Hobble Creek” big sagebrush vs. antelope bitterbrush as a winter forage. *Journal of Range Management* 45(2):140–142.
- Welch, B.L., F.J. Wagstaff, and J.A. Roberson. 1991. Preference of wintering sage grouse for big sagebrush. *Journal of Range Management* 44(5):462–465.
- Welch, B.L., S.F. Briggs, and J.H. Johansen. 1996. Big sagebrush seed storage. Research Note INT-RN-430. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. 3 pp.
- West, N.E. 1999. Managing for biodiversity of rangelands. In: WW. Collins and C.O. Qualset, editors. *Biodiversity in agroecosystems*. CRC Press, Boca Raton, FL. p. 101–126.
- Wyoming Game and Fish Department (WG&F) 2004. Jackson Fish Management Subbasin Management Plans. Jackson Hole, Wyoming.
- Whitehead, R. 1978. Water resources of the upper Henry’s Fork basin in eastern Idaho. Water Information Bulletin Number 46, Idaho Department of Water Resources. Boise, ID. 91 pp. plus maps.
- Willard, E.E., and M. Herman. 1977. Grizzly bear and its habitat. Final report. Cooperative Agreement between U.S. Department of Agriculture, Forest Service, Region 1 and University of Montana, Montana Forest and Conservation Experiment Station. 28 pp.
- Williams, Stephen and Earl Aldon. 1976. Endomycorrhizal (Vesicular Arbuscular) Assoc. of some Arid Zone Shrubs. *The Southwest Naturalist*. 20(4):437-444.
- Woodroffe, R., and J.R. Ginsberg. 1998. Edge effects and the extinction of populations inside protection areas. *Science* 280:2126–2128.

- Wydoski, R.S., and R.R. Whitney. 1979. Inland fishes of Washington. University of Washington Press, Seattle, WA. 220 pp.
- Yellowstone National Park. 1991. Yellowstone National Park fire management plan. U.S. Department of the Interior, National Park Service, Rocky Mountain Region, Yellowstone National Park, Denver, CO. 116 pp.
- Young, J.A. 1989. Intermountain shrubsteppe plant communities—pristine and grazed. In: Western raptor management symposium and workshop: proceedings; 1987; Boise, ID. Scientific Technical Series No. 12. National Wildlife Federation, Washington, DC. p. 3–14.
- Young, J.F. 1982. Soil Survey of Teton County, Wyoming, Grand Teton National Park Area. USDA Soil Conservation Service. 173 pp. + maps.
- Young, M.K., technical editor 1995. Conservation assessment for inland cutthroat trout. General Technical Report RM-256. U.S. Department of Agriculture, Forest Service.
- Zack, A. 1995. Whitebark pine and mountain hemlock in the Mallard Larkins Pioneer Area of Idaho. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Missoula, MT. Nutcracker Notes 6:9–10.
- Zager, P.E. 1980. The influence of logging and wildfire on grizzly bear habitat in northwestern Montana. Dissertation. University of Montana, Missoula, MT. 131 pp.
- Zager, P.E., and C.J. Jonkel. 1983. Managing grizzly bear habitat in the northern Rocky Mountains. *Journal of Forestry* 81(8):524–526, 536.
- Zager, P.E., C.J. Jonkel, and J. Habeck. 1983. Logging and wildfire influence on grizzly bear habitat in northwestern Montana. In: E.C. Meslow, editor. 5th international conference on bear research and management; [date of conference unknown]; Madison, WI. International Association for Bear Research and Management, [place of publication unknown]. p. 124–132.
- Zarbock, W.M. 1952. Life history of the Utah sculpin, *Cottus bairdi semiscaber* (Cope), in Logan River, Utah. *Transactions of the American Fisheries Society* 81:249–259.